

2092.M120A 147-PIECE SET OF INDUSTRIAL MAINTENANCE TOOLS - ROLLER CHEST




Description :

- 3 Options available:
 - CM.120A: Set supplied without container.
 - BT203.M120A: Set supplied with 3-drawer bi-material toolbox BT.203
 - 2092.M120A: Set supplied with roller chest 2092.B.

References :

|  | QTY | DESCRIPTION |
|--|-----|--|
| 113AS.6C | | Short-reach adjustable wrench 6' |
| 167A.18 | | 45° angled nose outside circlip® pliers 18-60 |
| 169A.18 | | 45° angled nose inside circlip® pliers 18-60 |
| 181A.25CPE | | Multigrip pliers 250 mm |
| 185A.20CPE | | Sheathed half-round pliers 20 cm |
| 187A.18CPE | | Sheathed combination pliers 18 cm |
| 188A.16CPE | | Sheathed flat-nose pliers 16 cm |
| 192A.16CPE | | Sheathed diagonal cutters 16 cm |
| 200C.32 | | Composite riveting hammer 32 mm |
| 208A.32CBA | | Steel mallet 32 mm |
| AP1X100TVE | | Protwist® 1000v Phillips® slim screwdriver 1x100 |
| 247.G2 | | Sheathed nail set - diam.2 mm |
| 247.G4 | | Sheathed nail set - diam.4 mm |
| 82H.JP9A | | 9-piece set of hexagonal keys |
| 249.G2 | | Sheathed drift punch 2 mm |

|  | QTY | DESCRIPTION |
|---|-----|---|
| 249.G4 | | Sheathed drift punch 4 mm |
| 256.4 | | Precision centre punch-diam.4 mm |
| S.161-4P6 | | 1/2" 6-point sockets box + S.161B |
| 2092B | | |
| 440.10 | | OGV® combination wrench 10 mm |
| 440.11 | | OGV® combination wrench 11 mm |
| 440.12 | | OGV® combination wrench 12 mm |
| 440.13 | | OGV® combination wrench 13 mm |
| 440.14 | | OGV® combination wrench 14 mm |
| 440.16 | | OGV® combination wrench 16 mm |
| 440.17 | | OGV® combination wrench 17 mm |
| 440.18 | | OGV® combination wrench 18 mm |
| 440.19 | | OGV® combination wrench 19 mm |
| 440.21 | | OGV® combination wrench 21 mm |
| 44.JE12 | | 12-piece set of metric open-end wrenches |
| 440.22 | | OGV® combination wrench 22 mm |
| 440.24 | | OGV® combination wrench 24 mm |
| 501A | | Multiposition long-nose lock-grip pliers |
| 603F | | Alu hacksaw |
| 440.7 | | OGV® combination wrench 7 mm |
| 440.8 | | OGV® combination wrench 8 mm |
| 668A.8 | | 10 bimetal saw blades 8 teeth/cm |
| 893B.213 | | Tape measure 2 m/13 mm ABS |
| 840.F | | Lock-back knife |
| AP8x125 | | Protwist® square bit 8x125 |
| AT3.5X75 | | Protwist® screwdriver for slotted screws 3.5x75 |
| AT4X100 | | Protwist® screwdriver for slotted screws 4x100 |

|  | QTY | DESCRIPTION |
|---|-----|---|
| AT4X100TVE | | Protwist® 1000v slim screwdriver for slotted screws 4x100 |
| AT5.5X100 | | Protwist® screwdriver for slotted screws 5.5x100 |
| ATD0X75 | | Protwist® screwdriver PZ 0x75 |
| ATD1X100 | | Protwist® screwdriver PZ 1x100 |
| ATD2X125 | | Protwist® screwdriver PZ 2x125 |
| ATF6.5X150 | | Protwist® screwdriver for slotted screws 6.5x150 |
| ATF8X200 | | Protwist® screwdriver for slotted screws 8x200 |
| ATP0X75 | | Protwist® Phillips® screwdriver 0x75 |
| ATP1X100 | | Protwist® Phillips® screwdriver 1x100 |
| ATP2X125 | | Protwist® Phillips® screwdriver 2x125 |
| R2NANO | | Box of 1/4" 6-point sockets |
| STG | | 5 wood handle screwdrivers |