

BAS.HEL-1 297-PIECE SET OF AIRBUS HELICOPTERS MAINTENANCE TOOLS - 8-DRAWER ROLLER CABINET



Description :

- Maintenance of civilian and military helicopters in hangar. •
- 2 Options available: - CU.AEBHEL-1: Set supplied without container. - BAS.HEL-1: Set supplied with 8-drawer roller cabinet JET.8GM3S.

References :


	QTY	DESCRIPTION
10.10		Torque wrench open end bit 10
10.13		Torque wrench open end bit 13
10.14		Torque wrench open end bit 14
10.17		Torque wrench open end bit 17
113A.12CG		Chromed sheathed adjustable wrench 12'
113A.6CG		Chromed sheathed adjustable wrench 6
181A.25CPEF		Multigrip pliers 250 mm Fluo
1830.4		Brush
185.34L		Extra-long pliers 340 mm
187.18CPEF-R		Combination pliers 18 cm retaining
192.16CPEF-R		Diagonal cutters 16 cm retaining
195.20CPEF		Half-round pliers 200 mm
200H.26		Hickory riveting hammer 26 mm
208A.32BBA		Steel mallet 32 mm cellulose
234		Scriber

	QTY	DESCRIPTION
248.10		Drift punch length 10 mm
248.2		Drift punch length 2 mm
248.3		Drift punch length 3 mm
248.4		Drift punch length 4 mm
248.5		Drift punch length 5 mm
248.6		Drift punch length 6 mm
248.8		Drift punch length 8 mm
263.G19		Sheathed chisel - length 190 mm
265.G18		Sheathed cape chisel - length 180 mm
34.10		Open end wrench 10 mm
34.11		Open end wrench 11 mm
34.12		Open end wrench 12 mm
34.13		Open end wrench 13 mm
34.14		Open end wrench 14 mm
34.4		Open end wrench 4 mm
34.5		Open end wrench 5 mm
34.6		Open end wrench 6 mm
34.7		Open end wrench 7 mm
34.8		Open end wrench 8 mm
34.9		Open end wrench 9 mm
405.12MT		Microtech® axial cutters
410.SF		Connector pliers
42.24X27		15° flare nut wrench 24x27 mm
43.10X11		Flanged flare-nut wrench
43.11X13		Flanged flare-nut wrench
43.12X14		Flanged flare-nut wrench
43.17X19		Flanged flare-nut wrench

	QTY	DESCRIPTION
44.10X11		Open end wrench 10 x 11 mm
44.12X13		Open end wrench 12 x 13 mm
44.14X15		Open end wrench 14 x 15 mm
44.16X17		Open end wrench 16 x 17 mm
44.18X19		Open end wrench 18 x 19 mm
44.21X23		Open end wrench 21 x 23 mm
44.22X24		Open end wrench 22 x 24 mm
44.27X29		Open end wrench 27 x 29 mm
44.30X32		Open end wrench 30 x 32 mm
44.34X36		Open end wrench 34 x 36 mm
44.38X42		Open end wrench 38 x 42 mm
44.4X5		Open end wrench 4 x 5 mm
44.6X7		Open end wrench 6 x 7 mm
44.8X9		Open end wrench 8 x 9 mm
440.10		OGV® combination wrench 10 mm
440.11		OGV® combination wrench 11 mm
440.12		OGV® combination wrench 12 mm
440.13		OGV® combination wrench 13 mm
440.14		OGV® combination wrench 14 mm
440.15		OGV® combination wrench 15 mm
440.16		OGV® combination wrench 16 mm
440.17		OGV® combination wrench 17 mm
440.18		OGV® combination wrench 18 mm
440.19		OGV® combination wrench 19 mm
440.20		OGV® combination wrench 20 mm
440.21		OGV® combination wrench 21 mm
440.22		OGV® combination wrench 22 mm

	QTY	DESCRIPTION
440.23		OGV® combination wrench 23 mm
440.24		OGV® combination wrench 24 mm
440.25		OGV® combination wrench 25 mm
440.26		OGV® combination wrench 26 mm
440.27		OGV® combination wrench 27 mm
440.28		OGV® combination wrench 28 mm
440.29		OGV® combination wrench 29 mm
440.30		OGV® combination wrench 30 mm
440.32		OGV® combination wrench 32 mm
440.33		OGV® combination wrench 33 mm
440.4H		OGV® combination wrench 4 mm
440.5H		OGV® combination wrench 5 mm
440.6		OGV® combination wrench 6 mm
440.7		OGV® combination wrench 7 mm
440.8		OGV® combination wrench 8 mm
440.9		OGV® combination wrench 9 mm
445.10DS		Reversible locking-wire pliers 10'
445.8DS		Reversible locking-wire pliers 8'
467B.10		Ratchet combination wrench 10 mm
467B.11		Ratchet combination wrench 11 mm
467B.12		Ratchet combination wrench 12 mm
467B.13		Ratchet combination wrench 13 mm
467B.14		Ratchet combination wrench 14 mm
467B.15		Ratchet combination wrench 15 mm
467B.16		Ratchet combination wrench 16 mm
467B.17		Ratchet combination wrench 17 mm
467B.18		Ratchet combination wrench 18 mm

	QTY	DESCRIPTION
467B.19		Ratchet combination wrench 19 mm
467B.8		Ratchet combination wrench 8 mm
467B.9		Ratchet combination wrench 9 mm
606A		Saw frame with blade backing
804F		Round tip metric feeler gauges
805.1		Slide rule 1/50th - 150 mm
827B		Magnetic retriever
834B.RTI		LED telescopic mirror 55 mm
834B.RTIS		LED telescopic mirror 30mm
83H.JP9A		9-piece set of long-reach metric keys
840.F		Lock-back knife
841A.3		Heavy duty bi-material scissors
845.1		Interchangeable-blade utility knife
893A.316ME		Tape measure 3 x 16 mm 2 sides
A4X100VEF		Protwist® screwdriver 4x100 1000 v
ACL.2A		Protwist® screwdriver ratchet shank holder grip
AEF.2X35		Microtech® flat blade screwdriver 2x35 mm
AEFP.00X35		Microtech® ph00 screwdriver
AMZ.E		Reversible bit holder blade 1/4'
AN3.5X100F		Protwist® screwdriver for slotted screws 3.5x100 Fluo
AN4X100F		Protwist® screwdriver for slotted screws 4x100 Fluo
AN5.5X150F		Protwist® screwdriver for slotted screws 5.5x100 Fluo
AN6.5X150F		Protwist® screwdriver for slotted screws 6.5x100 Fluo
AN6.5X35F		Protwist® short screwdriver for slotted screws 6.5x35 Fluo
AND1X100F		Protwist® screwdriver 1x100 Fluo
AND2X125F		Protwist® screwdriver 2x125 Fluo
ANP0X75F		Protwist® Phillips® screwdriver 0x75 Fluo

	QTY	DESCRIPTION
ANP1X100F		Protwist® Phillips® screwdriver 1x100 Fluo
ANP1X35F		Protwist® short screwdriver for ph 1x35 Fluo
ANP2X125F		Protwist® Phillips® screwdriver 2x125 Fluo
ANP2X250F		Phillips® screwdriver 2x250 Fluo
ANP3X150F		Protwist® Phillips® screwdriver 3x150 Fluo
ANP4X200F		Protwist® Phillips® screwdriver 4x200 Fluo
AS.12LBP140T0A		12 files 140 mm
AW10X200F		Protwist® screwdriver for slotted screws 10x200
AW8X150F		Protwist® screwdriver for slotted screws 8x150
DELA.1051.300		Stainless steel 2-sided rule
E.1063F		Set of 63 Detection Box bits
EF.RF		Locking bit holder 1/4
J.230		3/8" to 1/4" coupler
J.232		3/8" to 1/2" coupler
J.235		3/8" bit holder socket 1/4"
MODM.BHEL1-1		Foam module
MODM.BHEL1-2		Foam module
MODM.BHEL1-3		Foam module
MODM.BHEL1-4		Foam module
MODM.BHEL1-5		Foam module
MODM.BHEL1-6		Foam module
MODM.BHEL1-7		Foam module
MODM.BHEL1-8		Foam module
PM.MODM.BHEL1-1		Foam tray
PM.MODM.BHEL1-2		Foam tray
PM.MODM.BHEL1-3		Foam tray
PM.MODM.BHEL1-4		Foam tray

	QTY	DESCRIPTION
PM.MODM.BHEL1-5		Foam tray
PM.MODM.BHEL1-6		Foam tray
PM.MODM.BHEL1-7		Foam tray
PM.MODM.BHEL1-8		Foam tray
R.100RCK		1/4" locking milled extension 100 mm
R.10E		1/4" 12-point socket 10mm
R.10LA		1/4" 6-point long-reach socket 10 mm
R.11E		1/4" 12-point socket 11 mm
R.11LA		1/4" 6-point long-reach socket 11 mm
R.120A		1/4" sliding tee
R.12E		1/4" 12-point socket 12 mm
R.12LA		1/4" 6-point long-reach socket 12 mm
R.13E		1/4" 12-point socket 13 mm
R.13LA		1/4" 6-point long-reach socket 13 mm
R.140A		1/4" hinged handle
R.14E		1/4" 12-point socket 14 mm
R.14LA		1/4" 6-point long-reach socket 14 mm
R.150RCK		1/4" locking milled extension 150 mm
R.227AF		1/4" screwdriver handle 260 mm Fluo
R.236AF		1/4" screwdriver handle -158 mm Fluo
R.240A		1/4" universal joint
R.350RCK		1/4" locking milled extension 350 mm
R.360F		1/4" 360° socket Fluo
R.4LA		1/4" 6-point long-reach socket 4 mm
R.5.5LA		1/4" 6-point long-reach socket 5.5 mm
R.55RCK		1/4" locking milled extension 55 mm
R.5LA		1/4" 6-point long-reach socket 5 mm

	QTY	DESCRIPTION
R.6E		1/4" 12-point socket 6mm
R.6LA		1/4" 6-point long-reach socket 6 mm
R.7E		1/4" 12-point socket 7mm
R.7LA		1/4" 6-point long-reach socket 7 mm
R.8E		1/4" 12-point socket 8mm
R.8LA		1/4" 6-point long-reach socket 8 mm
R.9E		1/4" 12-point socket 9mm
R.9LA		1/4" 6-point long-reach socket 9 mm
S.10		1/2" 12-point socket 10 mm
S.11		1/2" 12-point socket 11 mm
S.12		1/2" 12-point socket 12 mm
S.12LA		1/2" 12-point long-reach socket 12 mm
S.13		1/2" 12-point socket 13 mm
S.13LA		1/2" 12-point long-reach socket 13 mm
S.14		1/2" 12-point socket 14 mm
S.14LA		1/2" 12-point long-reach socket 14 mm
S.15		1/2" 12-point socket 15 mm
S.15LA		1/2" 12-point long-reach socket 15 mm
S.16		1/2" 12-point socket 16 mm
S.16LA		1/2" 12-point long-reach socket 16 mm
S.17		1/2" 12-point socket 17 mm
S.17LA		1/2" 12-point long-reach socket 17 mm
S.18		1/2" 12-point socket 18 mm
S.18LA		1/2" 12-point long-reach socket 18 mm
S.19		1/2" 12-point socket 19 mm
S.19LA		1/2" 12-point long-reach socket 19 mm
S.210RC		1/2" locking extension l.130mm

	QTY	DESCRIPTION
S.215RC		1/2" locking extension l.250mm
S.21LA		1/2" 12-point long-reach socket 21 mm
S.22		1/2" 12-point socket 22 mm
S.22LA		1/2" 12-point long-reach socket 22 mm
S.230		1/2' to 3/8' coupler
S.232B		1/2' to 3/4' coupler
S.23LA		1/2" 12-point long-reach socket 23 mm
S.24		1/2" 12-point socket 24 mm
S.240A		1/2" universal joint
S.24LA		1/2" 12-point long-reach socket 24 mm
S.26LA		1/2" 12-point long-reach socket 26 mm
S.27		1/2" 12-point socket 27 mm
S.27LA		1/2" 12-point long-reach socket 27 mm
S.28LA		1/2" 12-point long-reach socket 28 mm
S.29LA		1/2" 12-point long-reach socket 29 mm
S.30		1/2" 12-point socket 30 mm
S.32		1/2" 12-point socket 32 mm
SL.171		'Sealed' 1/2" locking ratchet
JET.8GM3S		
34.3,2		
34.5,5		
39.3,2H		
44.3,2X5,5		
440.5,5H		
AEF.1,5X35		
AEF.1,8X35		
AEF.2,5X35		

	QTY	DESCRIPTION
R.5,5E		