

65 - INCH 15° HINGED RATCHET RING WRENCHES - RFID




Standards :

ASME B107.100

Description :

- Tool with built-in RFID chip for workshop traceability.
- Chip integration by Facom guarantees maximum detection and strength, while preserving the tool's ergonomics.
- Radio frequency identification requires appropriate storage equipment.
- 15° hinged ratchet ring wrenches: ring offset to clear fingers or obstacles.
- Compact ratchet mechanism and reversible by lever.
- Increment 5° (7.5° for dimension 1/4"; 6° for dimensions 5/16" and 11/32").
- Ring head angled at 15°.
- Dimensions in inches: from 1/4" to 15/16".
- Presentation: satin chrome finish.



References :

| | A ["] | B [MM] | B1 [MM] | E [MM] | E1 [MM] | L [MM] | [G] |
|-------------------|------------|--------|---------|--------|---------|--------|-----|
| 65.1/4X5/16RFID | 1/4x5/16 | 14,0 | 17,0 | 6,3 | 6,5 | 115 | 35 |
| 65.5/16X11/32RFID | 5/16x11/32 | 17,0 | 20,2 | 6,5 | 6,9 | 128 | 50 |
| 65.3/8X7/16RFID | 3/8x7/16 | 20,2 | 22,0 | 7,3 | 7,7 | 150 | 75 |
| 65.1/2X9/16RFID | 1/2x9/16 | 25,5 | 26,9 | 8,6 | 9,0 | 180 | 120 |
| 65.5/8X11/16RFID | 5/8x11/16 | 29,8 | 31,8 | 9,9 | 10,3 | 200 | 180 |
| 65.3/4X13/16RFID | 3/4x13/16 | 34,0 | 40,1 | 11,2 | 13,0 | 245 | 300 |
| 65.7/8X15/16RFID | 7/8x15/16 | 40,1 | 46,5 | 13,0 | 14,5 | 260 | 430 |