

## J - 3/8" METRIC 12-POINT SOCKETS - RFID




### Standards :


NF ISO 1711-1, ISO 1711-1


### Description :

- Tool with built-in RFID chip for workshop traceability.
- Chip integration by Facom guarantees maximum detection and strength, while preserving the tool's ergonomics.
- Radio frequency identification requires appropriate storage equipment.
- OGV® profile: more powerful tightening, preserves fasteners.
- Metric dimensions : from 7 to 24 mm.
- Finish: bright chrome.



### References :

	A [MM]	D [MM]	D1 [MM]	D2 [MM]	L [MM]	L1 [MM]	12-POINT [MM]	[G]
J.7RFID	7	17,6	11,0	25	47	6,0	12	75
J.8RFID	8	17,6	12,2	25	47	6,5	12	75
J.9RFID	9	17,6	13,5	25	47	6,7	12	75
J.10RFID	10	17,6	14,7	25	47	7,8	12	80
J.11RFID	11	17,6	16,0	25	47	9,0	12	80
J.12RFID	12	17,6	17,2	25	47	9,5	12	80
J.13RFID	13	17,5	18,3	25	50	10,4	12	90
J.14RFID	14	17,7	19,5	25	50	10,5	12	85

	A [MM]	D [MM]	D1 [MM]	D2 [MM]	L [MM]	L1 [MM]	12-POINT [MM]	[G]
J.15RFID	15	19,0	20,8	25	50	12,0	12	90
J.16RFID	16	20,0	22,0	25	50	12,0	12	95
J.17RFID	17	21,7	23,4	25	50	13,0	12	105
J.18RFID	18	21,7	24,7	25	53	13,0	12	120
J.19RFID	19	22,7	26,0	25	53	14,0	12	115
J.21RFID	21	23,5	28,5	25	53	16,0	12	125
J.22RFID	22	24,7	29,7	25	53	16,5	12	130
J.24RFID	24	26,3	31,3	25	53	16,5	12	140